EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S555	2	"6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 19:04
S554	8	widget with business adj object and panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 18:10
S553	0	widget with business adj object with panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 18:09
S552	1	widget and business adj object with panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 18:09
S551	93	widget and business adj object and panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 18:09
S550	1344	widget and object and panel	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 18:09
S549	3	S543 and "715".clas. and widget same class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56

S548	2	"6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S547	3	S543 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S546	6	business near2 widget same2 html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S545	0	business near2 widget same html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S544	7	business near1 widget and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S543	50	business near2 widget and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S542	1	business adj widget and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S541	37	business same widget same html	US-PGPUB; USPAT; USOCR; FPRS; EPO;	OR	ON	2010/09/07 17:56

			JPO; DERWENT; IBM_TDB			
S540	0	business with widget with html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S539	2184	business and widget and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S538	613	715/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S537	0	10/676718	USPAT	OR	ON	2010/09/0 7 17:56
S536	20	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller and configur$4	USPAT	OR	ON	2010/09/0 7 17:56
S535	21	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller	USPAT	OR	ON	2010/09/0 7 17:56
S534	23	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate	USPAT	OR	ON	2010/09/0 7 17:56
S533	0	S517 and widgets	USPAT	OR	ON	2010/09/0 7 17:56
S532	2	S517 and function and define and parameter and browser and (panel or action) and user with request and object and html	USPAT	OR	ON	2010/09/0 7 17:56
S531	0	S517 and function and define and parameter and browser and (panel or action) and user with request and object with service	USPAT	OR	ON	2010/09/0 7 17:56
S530	2	S517 and function and define and parameter and browser and (panel or action) and user with request and object	USPAT	OR	ON	2010/09/0 7 17:56
S529	2	S517 and function and define and parameter and browser and (panel or action) and user	USPAT	OR	ON	2010/09/0 7 17:56

		with request				
S528	2	S517 and function and define and parameter and browser and (panel or action)	USPAT	OR	ON	2010/09/0 7 17:56
S527	1	S517 and function and define and parameter and browser and panel	USPAT	OR	ON	2010/09/0 7 17:56
S526	2	S517 and function and define and parameter and browser and action	USPAT	OR	ON	2010/09/0 7 17:56
S525	0	S517 and function and define and parameter and browser and widget	USPAT	OR	ON	2010/09/0 7 17:56
S524	3	S517 and function and define and parameter and browser	USPAT	OR	ON	2010/09/0 7 17:56
S523	3	S517 and function and define and parameter	USPAT	OR	ON	2010/09/0 7 17:56
S522	3	S517 and function and define	USPAT	OR	ON	2010/09/0 7 17:56
S521	0	S517 and function same define	USPAT	OR	ON	2010/09/0 7 17:56
S520	5	S517 and function	USPAT	OR	ON	2010/09/0 7 17:56
S519	0	S517 and function with define	USPAT	OR	ON	2010/09/0 7 17:56
S518	0	S517 and functions with define	USPAT	OR	ON	2010/09/0 7 17:56
S517	5	"6867789".pn. "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	USPAT	OR	ON	2010/09/0 7 17:56
S516	10	"6867789".pn. "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S515	8	"6867789.pn" "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S514	92	("2003/0046401").URPN.	USPAT	SAME	ON	2010/09/0 7 17:56
S513	2	S511 and "715".clas. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S512	2	S511 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO;	SAME	ON	2010/09/0 7 17:56

			JPO; DERWENT; IBM_TDB			
S511	35	S504 and object and controller and xml and html and metadata and action and automatically and generating and receiving	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S510	4	S504 AND "java server pages"	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S509	659	S504 AND java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S508	659	S504 AND Java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S507	22	S504 AND JSP	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S506	2	S504 same Java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S505	0	S504 same JSP	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S504	856	((generat$4 or creat$4) NEAR2 (consistent or "same" or coherent or comformable or duplica$5 or homogeneous or homogenous or "in accord" or uniform or reporduce)) WITH (user NEAR2 interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S503	24747	(generat$4 or creat$4) NEAR2 (user NEAR2 interface)	US-PGPUB; USPAT	OR	ON	2010/09/0 7 17:56
S502	20467	(generat$4 or creat$4) near2 user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S501	62934	(generat$4 or creat$4) with user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S500	77412	(generat$4 or creat$4) with user with interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S499	18	S495 not S496	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S498	1	S495 and (consistent and (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S497	0	S495 and (consistent with (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S496	7	S495 and (creat$4 or generat$4) with interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S495	25	(US-20020062359-$ or US-20020065911-$ or US-20020062369-$ or US-20040010790-$ or US-20030125966-$ or US-20060085304-$ or US-20020156881-$ or US-20020103896-$ or US-20030145305-$ or US-20040039994-$ or US-20060129635-$ or US-20040187090-$ or US-20030005411-$ or US-20040205550-$ or US-20020111992-$ or US-20020112125-$ or US-20020116448-$ or US-20020116474-$ or	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56

		US-20020116582-$ or US-20020116583-$ or US-20020147887-$ or US-20030033367-$ or US-20030167234-$ or US-20040073552-$ or US-20040073630-$ or US-20040205574-$).did. or (US-20050192931-$ or US-20050240732-$ or US-20060143267-$ or US-20030020752-$ or US-20050197997-$).did. or (US-7072951-$ or US-6647544-$ or US-6654949-$ or US-6697815-$ or US-6766333-$ or US-7099939-$ or US-6823522-$ or US-7000185-$ or US-6948151-$ or US-7000218-$ or US-6807606-$ or US-6823360-$ or US-6877025-$ or US-6889230-$ or US-6996622-$ or US-7047318-$ or US-7093243-$ or US-7096455-$ or US-6993713-$).did.				
S494	4	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically and generating and receiving	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S493	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically and generating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S492	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S491	4	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and dynamically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S490	5	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and dynamic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S489	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and	US-PGPUB; USPAT; USOCR;	SAME	ON	2010/09/07 17:56

		automatically	FPRS; EPO; JPO; DERWENT; IBM_TDB			
S488	5	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S487	2	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and widget	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S486	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S485	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S484	12	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S483	15	"consistent user interface" and (JSP or "java server pages") and object and controller and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S482	16	"consistent user interface" and (JSP or "java server pages") and object and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56

S481	38	"consistent user interface" and (JSP or "java server pages") and object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S480	9	"consistent user interface" and (JSP or "java server pages") and meta$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S479	38	"consistent user interface" and (JSP or "java server pages")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S478	1013	"consistent user interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S477	613	715/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S476	613	715/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S475	0	10/676718	USPAT	OR	ON	2010/09/0 7 17:56
S474	20	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller and configur$4	USPAT	OR	ON	2010/09/0 7 17:56
S473	21	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller	USPAT	OR	ON	2010/09/0 7 17:56

S472	23	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate	USPAT	OR	ON	2010/09/0 7 17:56
S471	0	S455 and widgets	USPAT	OR	ON	2010/09/0 7 17:56
S470	2	S455 and function and define and parameter and browser and (panel or action) and user with request and object and html	USPAT	OR	ON	2010/09/0 7 17:56
S469	0	S455 and function and define and parameter and browser and (panel or action) and user with request and object with service	USPAT	OR	ON	2010/09/0 7 17:56
S468	2	S455 and function and define and parameter and browser and (panel or action) and user with request and object	USPAT	OR	ON	2010/09/0 7 17:56
S467	2	S455 and function and define and parameter and browser and (panel or action) and user with request	USPAT	OR	ON	2010/09/0 7 17:56
S466	2	S455 and function and define and parameter and browser and (panel or action)	USPAT	OR	ON	2010/09/0 7 17:56
S465	1	S455 and function and define and parameter and browser and panel	USPAT	OR	ON	2010/09/0 7 17:56
S464	2	S455 and function and define and parameter and browser and action	USPAT	OR	ON	2010/09/0 7 17:56
S463	0	S455 and function and define and parameter and browser and widget	USPAT	OR	ON	2010/09/0 7 17:56
S462	3	S455 and function and define and parameter and browser	USPAT	OR	ON	2010/09/0 7 17:56
S461	3	S455 and function and define and parameter	USPAT	OR	ON	2010/09/0 7 17:56
S460	3	S455 and function and define	USPAT	OR	ON	2010/09/0 7 17:56
S459	0	S455 and function same define	USPAT	OR	ON	2010/09/0 7 17:56
S458	5	S455 and function	USPAT	OR	ON	2010/09/0 7 17:56
S457	0	S455 and function with define	USPAT	OR	ON	2010/09/0 7 17:56
S456	0	S455 and functions with define	USPAT	OR	ON	2010/09/0 7 17:56
S455	5	"6867789".pn. "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	USPAT	OR	ON	2010/09/0 7 17:56
S454	10	"6867789".pn. "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S453	8	"6867789.pn" "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	US-PGPUB; USPAT; USOCR;	OR	ON	2010/09/0 7 17:56

			FPRS; EPO; JPO; DERWENT; IBM_TDB			
S452	92	("2003/0046401").URPN.	USPAT	SAME	ON	2010/09/07 17:56
S451	2	S449 and "715".clas. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S450	2	S449 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S449	35	S442 and object and controller and xml and html and metadata and action and automatically and generating and receiving	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S448	4	S442 AND "java server pages"	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S447	659	S442 AND java	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S446	659	S442 AND Java	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S445	22	S442 AND JSP	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S444	2	S442 same Java	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S443	0	S442 same JSP	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S442	856	((generat$4 or creat$4) NEAR2 (consistent or "same" or coherent or comformable or duplica$5 or homogeneous or homogenous or "in accord" or uniform or reporduce)) WITH (user NEAR2 interface)	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S441	24747	(generat$4 or creat$4) NEAR2 (user NEAR2 interface)	US-PGPUB; USPAT	OR	ON	2010/09/07 17:56
S440	20467	(generat$4 or creat$4) near2 user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S439	62934	(generat$4 or creat$4) with user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56
S438	77412	(generat$4 or creat$4) with user with interface	US-PGPUB; USPAT	SAME	ON	2010/09/07 17:56

S437	18	S433 not S434	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S436	1	S433 and (consistent and (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S435	0	S433 and (consistent with (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S434	7	S433 and (creat$4 or generat$4) with interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S433	25	(US-20020062359-$ or US-20020065911-$ or US-20020062369-$ or US-20040010790-$ or US-20030125966-$ or US-20060085304-$ or US-20020156881-$ or US-20020103896-$ or US-20030145305-$ or US-20040039994-$ or US-20060129635-$ or US-20040187090-$ or US-20030005411-$ or US-20040205550-$ or US-20020111992-$ or US-20020112125-$ or US-20020116448-$ or US-20020116474-$ or US-20020116582-$ or US-20020116583-$ or US-20020147887-$ or US-20030033367-$ or US-20030167234-$ or US-20040073552-$ or US-20040073630-$ or US-20040205574-$).did. or (US-20050192931-$ or US-20050240732-$ or US-20060143267-$ or US-20030020752-$ or US-20050197997-$).did. or (US-7072951-$ or US-6647544-$ or US-6654949-$ or US-6697815-$ or US-6766333-$ or US-7099939-$ or US-6823522-$ or US-7000185-$ or US-6948151-$ or US-7000218-$ or US-6807606-$ or US-6823360-$ or US-6877025-$ or US-6889230-$ or US-6996622-$ or US-7047318-$ or US-7093243-$ or US-7096455-$ or US-6993713-$).did.	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S432	4	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically and generating and receiving	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S431	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically and generating	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S430	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56

S429	4	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and dynamically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S428	5	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and dynamic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S427	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatically	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S426	5	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and automatic	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S425	2	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action and widget	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S424	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata and action	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S423	6	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html and metadata	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S422	12	"consistent user interface" and (JSP or "java server pages") and object and controller and xml and html	US-PGPUB; USPAT; USOCR; FPRS; EPO;	SAME	ON	2010/09/0 7 17:56

			JPO; DERWENT; IBM_TDB			
S421	15	"consistent user interface" and (JSP or "java server pages") and object and controller and xml	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S420	16	"consistent user interface" and (JSP or "java server pages") and object and controller	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S419	38	"consistent user interface" and (JSP or "java server pages") and object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S418	9	"consistent user interface" and (JSP or "java server pages") and meta$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S417	38	"consistent user interface" and (JSP or "java server pages")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S416	1013	"consistent user interface"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S415	613	715/763.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S414	4	"6697825".pn. "20030058277".pn.	US-PGPUB;	OR	ON	2010/09/0

			USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			7 17:56
S413	4	"6697825".pn. "20030058377".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S412	0	"6697825".pn. "20030058377".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S411	3	S405 and "715".clas. and widget same class	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S410	2	"6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S409	3	S405 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S408	6	business near2 widget same2 html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S407	0	business near2 widget same html	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO;	OR	ON	2010/09/0 7 17:56

				DERWENT; IBM_TDB			
S406	7	business near1 widget and html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S405	50	business near2 widget and html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S404	1	business adj widget and html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S403	37	business same widget same html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S402	0	business with widget with html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S401	2184	business and widget and html		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/07 17:56
S400	613	715/763.ccls.		US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/07 17:56
S399	0	10/676718		USPAT	OR	ON	2010/09/07 17:56

S398	20	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller and configur$4	USPAT	OR	ON	2010/09/0 7 17:56
S397	21	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate and controller	USPAT	OR	ON	2010/09/0 7 17:56
S396	23	interface and function and define and parameter and browser and (panel or action) and user with request and object and html and widgets with generate	USPAT	OR	ON	2010/09/0 7 17:56
S395	0	S379 and widgets	USPAT	OR	ON	2010/09/0 7 17:56
S394	2	S379 and function and define and parameter and browser and (panel or action) and user with request and object and html	USPAT	OR	ON	2010/09/0 7 17:56
S393	0	S379 and function and define and parameter and browser and (panel or action) and user with request and object with service	USPAT	OR	ON	2010/09/0 7 17:56
S392	2	S379 and function and define and parameter and browser and (panel or action) and user with request and object	USPAT	OR	ON	2010/09/0 7 17:56
S391	2	S379 and function and define and parameter and browser and (panel or action) and user with request	USPAT	OR	ON	2010/09/0 7 17:56
S390	2	S379 and function and define and parameter and browser and (panel or action)	USPAT	OR	ON	2010/09/0 7 17:56
S389	1	S379 and function and define and parameter and browser and panel	USPAT	OR	ON	2010/09/0 7 17:56
S388	2	S379 and function and define and parameter and browser and action	USPAT	OR	ON	2010/09/0 7 17:56
S387	0	S379 and function and define and parameter and browser and widget	USPAT	OR	ON	2010/09/0 7 17:56
S386	3	S379 and function and define and parameter and browser	USPAT	OR	ON	2010/09/0 7 17:56
S385	3	S379 and function and define and parameter	USPAT	OR	ON	2010/09/0 7 17:56
S384	3	S379 and function and define	USPAT	OR	ON	2010/09/0 7 17:56
S383	0	S379 and function same define	USPAT	OR	ON	2010/09/0 7 17:56
S382	5	S379 and function	USPAT	OR	ON	2010/09/0 7 17:56
S381	0	S379 and function with define	USPAT	OR	ON	2010/09/0 7 17:56
S380	0	S379 and functions with define	USPAT	OR	ON	2010/09/0 7 17:56
S379	5	"6867789".pn. "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	USPAT	OR	ON	2010/09/0 7 17:56
S378	10	"6867789".pn. "6934356".pn. "6275225".pn.	US-PGPUB;	OR	ON	2010/09/0

		"6684369".pn. "6697825".pn.	USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB			7 17:56
S377	8	"6867789.pn" "6934356".pn. "6275225".pn. "6684369".pn. "6697825".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/0 7 17:56
S376	92	("2003/0046401").URPN.	USPAT	SAME	ON	2010/09/0 7 17:56
S375	2	S373 and "715".clas. and java	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S374	2	S373 and "715".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S373	35	S366 and object and controller and xml and html and metadata and action and automatically and generating and receiving	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	SAME	ON	2010/09/0 7 17:56
S372	4	S366 AND "java server pages"	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S371	659	S366 AND java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S370	659	S366 AND Java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S369	22	S366 AND JSP	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S368	2	S366 same Java	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S367	0	S366 same JSP	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S366	856	((generat$4 or creat$4) NEAR2 (consistent or "same" or coherent or comformable or duplica$5 or homogeneous or homogenous or "in accord" or uniform or reporduce)) WITH	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56

		(user NEAR2 interface)				
S365	24747	(generat$4 or creat$4) NEAR2 (user NEAR2 interface)	US-PGPUB; USPAT	OR	ON	2010/09/0 7 17:56
S364	20467	(generat$4 or creat$4) near2 user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S363	62934	(generat$4 or creat$4) with user near2 interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S362	77412	(generat$4 or creat$4) with user with interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S361	18	S357 not S358	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S360	1	S357 and (consistent and (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S359	0	S357 and (consistent with (creat$4 or generat$4) with interface)	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56
S358	7	S357 and (creat$4 or generat$4) with interface	US-PGPUB; USPAT	SAME	ON	2010/09/0 7 17:56